



Price Bid

Current Tender Details

IFB / Tender Notice No : MDCMPUL/ 2018-19/ 46 / Boys Hostel / Furniture Tender ID: 343117
 Name of Work : Wooden furniture work for Boys Hostel at Dr. V.Kurien Academic Center (survey no:1772/p) of Dudhsagar Dairy,Mehsana ECV (INR): 3700000.00
 Last Date & Time For Submission of Bid: 08/02/2019 17:00:00 Type Of Tender: open

Price Bid

SR NO	ITEM CODE	DESCRIPTION	SIZE	LOCATION	QUANTITY	UNIT	Net Rate /Unit (INR)	Amount (INR)
1	ST-3	STUDENT TABLE 18mm ply Top 12 mm ply Sides Frame Work out of 25mm x 25mm x 2.6mm M.S. Box Section. 1 nos Drawer All surfaces Laminated	0.76 x 0.61 x 0.76	In all Hostel Rooms	40.00	EACH		0
2	WD-3	STUDENT WARDROBE: 12mm Plywood casing on bottom and backside wardrobe surfaces. Wardrobe carcassse (sides and top) to be made of 18mm ply panel. Shutter out of 18mm ply panel. . 18mm Ply wood shelf supported on TW section of 25mm x 25mm,angle section on 3 sides Drawers 4 nos out of 12mm ply. 25mm Dia SS 304 Studs All surfaces Laminated (Concealed surfaces 0.75mm th plain white and visible surfaces timber finish 1mm th laminate) SS 304 Matte Finish handles, hinges and 25mm Dia Hanger Rod. Godrej make locks. Kraft make telescopic channels for drawers.	1.70 x 0.46 x 3.30	2 nos in Hostel Room in ground floor	2.00	EACH		0
		STUDENT WARDROBE: 12mm Plywood casing on bottom and backside wardrobe surfaces. Wardrobe carcassse (sides and top) to be made of 18mm ply panel. Shutter out of 18mm ply panel. . 18mm Ply wood shelf supported on TW section of						

3	WD-3S	<p>25mm x 25mm,angle section on 3 sides Drawers 4 nos out of 12mm ply. 25mm Dia SS 304 Studs All surfaces Laminated (Concealed surfaces 0.75mm th plain white and visible surfaces timber finish 1mm th laminate) SS 304 Matte Finish handles, hinges and 25mm Dia Hanger Rod. Godrej make locks. Kraft make telescopic channels for drawers as WD-3 but for Size as specified</p> <p>STUDENT WARDROBE: 12mm Plywood casing on bottom and backside wardrobe surfaces. Wardrobe carcassse (sides and top) to be made of 18mm ply panel. Shutter out of 18mm ply panel. . 18mm Ply wood shelf supported on TW section of 25mm x 25mm,angle section on 3 sides Drawers 4 nos out of 12mm ply. 25mm Dia SS 304 Studs All surfaces Laminated (Concealed surfaces 0.75mm th plain white and visible surfaces timber finish 1mm th laminate) SS 304 Matte Finish handles, hinges and 25mm Dia Hanger Rod. Godrej make locks. Kraft make telescopic channels for drawers.</p> <p>STUDENT WARDROBE: 12mm Plywood casing on bottom and backside wardrobe surfaces. Wardrobe carcassse (sides and top) to be made of 18mm ply panel. Shutter out of 18mm ply panel. . 18mm Ply wood shelf supported on TW section of 25mm x 25mm,angle section on 3 sides Drawers 4 nos out of 12mm ply. 25mm Dia SS 304 Studs All surfaces Laminated (Concealed surfaces 0.75mm th plain white and</p>	1.70 x 0.46 x 3.01	4 nos. in 1st Floor Hostel Room and 4 nos. in 2nd floor Hostel Room	8.00	EACH		0
4	WD-5	<p>25mm,angle section on 3 sides Drawers 4 nos out of 12mm ply. 25mm Dia SS 304 Studs All surfaces Laminated (Concealed surfaces 0.75mm th plain white and visible surfaces timber finish 1mm th laminate) SS 304 Matte Finish handles, hinges and 25mm Dia Hanger Rod. Godrej make locks. Kraft make telescopic channels for drawers.</p> <p>STUDENT WARDROBE: 12mm Plywood casing on bottom and backside wardrobe surfaces. Wardrobe carcassse (sides and top) to be made of 18mm ply panel. Shutter out of 18mm ply panel. . 18mm Ply wood shelf supported on TW section of 25mm x 25mm,angle section on 3 sides Drawers 4 nos out of 12mm ply. 25mm Dia SS 304 Studs All surfaces Laminated (Concealed surfaces 0.75mm th plain white and visible surfaces timber finish 1mm th laminate) SS 304 Matte Finish handles, hinges and 25mm Dia Hanger Rod. Godrej make locks. Kraft make telescopic channels for drawers.</p> <p>STUDENT WARDROBE: 12mm Plywood casing on bottom and backside wardrobe surfaces. Wardrobe carcassse (sides and top) to be made of 18mm ply panel. Shutter out of 18mm ply panel. . 18mm Ply wood shelf supported on TW section of 25mm x 25mm,angle section on 3 sides Drawers 4 nos out of 12mm ply. 25mm Dia SS 304 Studs All surfaces Laminated (Concealed surfaces 0.75mm th plain white and</p>	1.57 x 0.46 x 3.30	2 nos in Hostel Room in ground floor and 2 nos in Library	4.00	EACH		0
5	WD-5S	<p>25mm,angle section on 3 sides Drawers 4 nos out of 12mm ply. 25mm Dia SS 304 Studs All surfaces Laminated (Concealed surfaces 0.75mm th plain white and visible surfaces timber finish 1mm th laminate) SS 304 Matte Finish handles, hinges and 25mm Dia Hanger Rod. Godrej make locks. Kraft make telescopic channels for drawers.</p> <p>STUDENT WARDROBE: 12mm Plywood casing on bottom and backside wardrobe surfaces. Wardrobe carcassse (sides and top) to be made of 18mm ply panel. Shutter out of 18mm ply panel. . 18mm Ply wood shelf supported on TW section of 25mm x 25mm,angle section on 3 sides Drawers 4 nos out of 12mm ply. 25mm Dia SS 304 Studs All surfaces Laminated (Concealed surfaces 0.75mm th plain white and visible surfaces timber finish 1mm th laminate) SS 304 Matte Finish handles, hinges and 25mm Dia Hanger Rod. Godrej make locks. Kraft make telescopic channels for drawers.</p> <p>STUDENT WARDROBE: 12mm Plywood casing on bottom and backside wardrobe surfaces. Wardrobe carcassse (sides and top) to be made of 18mm ply panel. Shutter out of 18mm ply panel. . 18mm Ply wood shelf supported on TW section of 25mm x 25mm,angle section on 3 sides Drawers 4 nos out of 12mm ply. 25mm Dia SS 304 Studs All surfaces Laminated (Concealed surfaces 0.75mm th plain white and</p>	1.57 x 0.46 x 3.01	4 nos. in 1st Floor Hostel Room and 4 nos. in 2nd floor Hostel Room	8.00	EACH		0

6	LT-1	<p>visible surfaces timber finish 1mm th laminate) SS 304 Matte Finish handles, hinges and 25mm Dia Hanger Rod. Godrej make locks. Kraft make telescopic channels for drawers but measurement</p> <p>LIBRARY TABLE FOR STUDENTS Table top out of 2 nos. 18mm Plywood sheets Laminate Finished on Both sides and edge banded with 38mm x 12mm T.W. strips on all four sides. Support Frame, ties, foot rest and Legs out of 35mm x 35mm x 2.6mm M.S. Box sections. Plain Black Epoxy based Powder Coated finish. Section ends capped with M.S. Flats and Leg ends fixed with PVC anti- friction bushes.</p>	1.83 x 0.69 x 0.76	Library 4 nos. for Students seating	4.00	EACH	<input type="text"/>	<input type="text" value="0"/>
7	LT-2	<p>PRINTER TABLE IN LIBRARY: Table top out of 2 nos. 18mm Plywood sheets Laminate Finished on Both sides and edge banded with 38mm x 12mm T.W. strips on all four sides. Support Frame, ties, foot rest and Legs out of 35mm x 35mm x 2.6mm M.S. Box sections. Plain Black Epoxy based Powder Coated finish. Section ends capped with M.S. Flats and Leg ends fixed with PVC anti- friction bushes.</p>	2.44 x 0.69 x 0.76	1 nos. for Printer, Photocopying Machine and Scanner	1.00	EACH	<input type="text"/>	<input type="text" value="0"/>
8	LCW	<p>LIBRARY COMPUTER LINEAR WORKSTATION TABLE: Table top, Support and Carcasse out of 18mm th. Plywood, Keyboard Tray out of 12mm th. Plywood. All Plywood faces shall be Laminate finished and edges shall be edge banded with 6mm th. T.W. Strips. 75mm Dia. Cable Manager to be fixed to Table top. Pressed Metal CPU Trolley with Black Powder Coating Finish.</p> <p>LIBRARIANS WORKSTATION (Including: Desk, Folding Top For</p>	0.91 x 0.53 x 0.76	Library	9.00	EACH	<input type="text"/>	<input type="text" value="0"/>

9	LD	<p>Access, Side Storage Cabinet, 75mm th Partition) Table Top, Storage Cabinet Carcasse out of 8mm th. Plywood. Side Storage Cabinet to have equally distributed - 6nos. Drawers out of 12mm th. Plywood. 77mm th. Partition is Laminate Finished sandwich structure of 2 nos. 12mm th. Plywood sheets with frame out of 50mm x 50mm Grid of T.W. Sections @ max spacing 450mm c/c. All Plywood faces shall be Laminate finished and edges shall be edge banded with 6mm th. T.W. Strips. Folding top for Access to Workstation shall be butt hinged to Desk Edge and fitted with stopper to 77mm th. Partition Fascia.</p> <p>STUDENT BED Top out of 18mm ply wood Sides out of 12mm ply wood Structure Out of M.S. Box Section. 25mm x 25mm x 2.6mm as per drawing details. Bottom handling edge banded with 45mm x 25mm TW section. Bed post ends sealed with M.S. flats for fixing PVC anti friction bushes.</p>	AS PER DRAWING DETAIL	Library	1.00	EACH	<input type="text"/>	<input type="text" value="0"/>
10	B-2	<p>GENERAL PURPOSE / STUDENTS CHAIR: PVC mouldded high strength chair, having stackable modular design. Make Neelkamal Model No CHR 2001 or Cello Equivalent only. Colour Beige OR White</p>	MANUFACTURERS STANDARD	All Chairs in Student Rooms, Chair for Library Readomg Table	64.00	EACH	<input type="text"/>	<input type="text" value="0"/>
11	C1	<p>LIBRARY COMPUTER CHAIRS: HOF or WIPRO Make or Equi. Model as YUVA SMART Revolving Medium Back Chair With Syncrotilt 1 Mechanism, Fixed Pp Arm Rest And Nylon Base Tested For 1250 Kg, Castors Tested For 1,00,000 Cycles, Gas Lift Tested For 1,00,000 Cycles, 3d Wrap Around Design With S</p>	MANUFACTURERS STANDARD	Student Chair For Library Computers and Librarians Chair	10.00	EACH	<input type="text"/>	<input type="text" value="0"/>
12	C2							

13	NA	<p>Curve To Support The Natural Shape of spine. BIFMA Certified. Fabric Colour: Black</p> <p>FABRIC PANELLING: 12mm Ply wood Top with 25 mm x 25 mm TW Frame with max spacing of members @ 600 c/c, and 12mm th U-Foam 40 Density and Fabric / tapestry Aprox Rs.500 to Rs. 800 per RMT.</p>	AS INDICATED IN FLOOR PLAN OR AS PER SITE MEASUREMENT	Wall Area Above Computer Table upto Lintel level Height (Except Structure Column offset)	14.16	SQ MT	<input type="text"/>	<input type="text" value="0"/>
14	NA	<p>BORDER FOR FABRIC PANELLING: Providing and fixing on site as indicated by Architect and/or supervising Engineer: Melamine Finished 40mm X 40mm Teak Wood outer frame border flushed with fabric top level. Border to be provided on all four sides of each fabric panel and corners wot be mitred jointed @ 45 degress)</p>	AS INDICATED IN FLOOR PLAN (40mm x 40mm x RMT) OR AS PER SITE MEASUREMENT	Wall Area Above Computer Table upto Lintel level Height (Except Structure Column offset)	31.69	RMT	<input type="text"/>	<input type="text" value="0"/>
15	-	<p>BLACK-OUT ROLLER BLINDS: Providing and Fixing on site - Manually operated Black-out Roller Blinds of approved Shade and Colour, as per Manufacturers Technical Specification and Assembly Details. Make: WINDOOR MARKETING or Equivalent only.</p>	AS PER SITE MEASUREMENT	Library	4.40	SQ MT	<input type="text"/>	<input type="text" value="0"/>
16	LS1	<p>CABINET OVER WINDOW 12mm Plywood casing on bottom and backside cabinet surfaces. Cabinet carcasse (sides and top) to be made of 18mm ply panel. Shutter out of 18mm ply panel. All surfaces Laminated (Concealed surfaces 0.75mm th plain white and visible surfaces timber finish 1mm th laminate) SS 304 Matte Finish handles, hinges and. Godrej make locks.</p>	1.372 x 0.457 x 0.99	All Windows in Student Rooms in Ground Floor, Library Store and Library	8.00	EACH	<input type="text"/>	<input type="text" value="0"/>
		<p>CABINET OVER WINDOW 12mm Plywood casing on bottom and backside cabinet surfaces. Cabinet carcasse (sides and top) to be</p>						

17	LS2	made of 18mm ply panel. Shutter out of 18mm ply panel. All surfaces Laminated (Concealed surfaces 0.75mm th plain white and visible surfaces timber finish 1mm th laminate) SS 304 Matte Finish handles, hinges and. Godrej make locks. as above: LS1 but for specified Size	1.372 x 0.457 x 0.685	All Windows in 1st Floor and 2nd Floor Student Rooms	16.00	EACH	<input type="text"/>	<input type="text"/>	0
18	B-2	BED SET: Consiting of mattress, Pillow and Bed Sheet with Pillow cover. 1) Mattress : EQUI MAKE: Sleepwell / Kurlon / Nilkamal / Coirfit Coirfit Magic 4.5-inch Single Size Rubberised Coir Mattress (Multicolour, L72inches x B30 inches x H4½" inches) Item no: TCPLMG799 Drill fabric quilted cover, Anti-allergic and mite free, Poly cotton fabric cover	22(a) MANUFACTURERS STANDARD	2 nos. quanioty in each student room	40.00	EACH	<input type="text"/>	<input type="text"/>	0
19	B-2	2) Pillows : Recron Certified Bliss Pillow (White)	22(b)	2 nos. quanioty in each student room	40.00	EACH	<input type="text"/>	<input type="text"/>	0
20	B-2	3) Bedsheets with Pillow Covers: MAKE: Bombay Dyeing / Raymonds / Mafatlal OR EQUI Single Bed Sheets (Colored) – Size (2290 mm x 1500 mm) Color Colored Material 100 Percentage Cotton, Spun Thread Count 180, GSM: 100 Finish 90 Percentage Finish Grade Texture ½" straight satin strip pattern Treatment Ultra fresh treatments, washed.Tolerance in size for length - 2 cm and width - 1 cm and no limit on positive tolerance, shade: white, plain weave, minimum weight per sq. metre = 140 grams, ends per cm minimum 24, picks per cm minimum 21, breaking strength on warp 325 N minimum and on weft 320 N minimum, shrinkage 2.5 Percentage maximum, colour fastness minimum 4, blend	22(c)	2 nos. quanioty in each student room	40.00	EACH	<input type="text"/>	<input type="text"/>	0

composition 100
Percentage cotton.
(test method to be
followed as
mentioned in IS
175 of 1989). the
edges of the
bedsheets should
be stitched with 25
mm, folding along
the width of the
bedsheet. The
bedsheets shall be
printed with the
words MIDFT in
English along with
month and year of
manufacture/supply
in the capital letters
with approx. 25
mm height in dark
blue ink repeated
across the full
length in the
middle of the
bedsheet.

0

zero

Special Notes

(1) Rates should be inclusive of fixing charges on site wherever applicable and directed ,GST, freight, insurance, i.e.FOR our site, Above quantity mentioned in price table is tentative. Final bill will be released as per actual quantity certified by our civil department.

(2) Description and make of hardware fittings, Accessories and Hooks: SS 304 Matte Finished,Locks, Godrej Make,Hanger Rods, SS 304 Matte Finish,Handles and Knobs, as per architect,Hinges, SS 304 Matte Finish,Telescopic Channels, Kraft make,Plywood, Green ply ,century or equivalent ,M.S Works, Tata make hollow box pipe ,Laminate internal and hidden surface 0.75 mm th Make Bloom ,Green ,century or equi.,Laminate outer and visible surfaces, 1mm th, Make Bloom, Green,Edge Banding for All Laminated Ply Panels, T.W. + Melamine Finished,PVC anti friction bushes,75 mm Dia PVC Black Cable Manager of EG make ,Mirrors , ModiGuard or equi,

Documents Required

There are no Documents

Close

Server Time : 12/01/2019 16:36:30